

twentieth

28 Stem

Bocci



DESCRIPTION

28 SERIES

28 results from an innovative fabrication process that manipulates both the temperature and the direction of air flow into blown glass. The result is a slightly distorted sphere with an interior landscape of satellite shapes, including an opaque milk glass diffuser that houses either a low-voltage xenon or LED lamp.

STEM

The 28 stem system allows for floor, ceiling or columnar installation. Columnar installation available as a a spring-loaded floor to ceiling application. Floor version can be plugged into a wall outlet for maximum flexibility. All versions include integral dimming system. Available in black or brass finish with a variety of pendant options.

twentieth

sales@twentieth.net

323.904.1200

www.twentieth.net

28 STEM FLOOR

The 28 series stem floor system comes in a brass or black finish and three different configurations. The semi-rigid black fabric cord includes a patented integral 360 degree dimming system housed within a sleek brass cylinder.

28 STEM COLUMN

The 28 series stem column system comes in a brass or black finish, two different configurations and multiple height options. The spring loaded spike system allows for both vertical and angled installation. The semi-rigid black fabric cord includes a patented integral 360 degree dimming system housed within a sleek brass cylinder.

28 STEM SUSPENDED

The 28 series stem suspended system comes in a brass or black finish and a variety of suspension options ranging from vertical ceiling-mounted stems to suspended horizontal stems. This system offers many options in terms of length and number of pendants.

CATALOG

ADDITIONAL INFORMATION

SIZE

28.3: Three pendants

28.6: Six pendants

28.9: Nine pendants

28.12: Twelve pendants

DIMENSIONS

Pendant: Ø 6.5"

FLOOR

28.3 - 35.4" height with 13.8" round base

28.3 - 70.8" height with 13.8" round base

28.6 - 70.8" height with 13.8" round base

COLUMN

28.3 - adjustable length

28.6 - adjustable length

MATERIALS

Floor: Blown Glass, Black Flexible Cord, Brass Dial Control, Unlacquered Brass or Black Powder Coated Base

Ceiling: Blown Glass, Electrical Components, Unlacquered Brass or Black Powder Coated Brass Stem, Black or White Canopy

COLORS

Color pendant options available

\$275 upcharge per color pendant

CONNECTION + DROP

\$150 - 6" (ceiling mounted ONLY)

\$200 - 12" (ceiling mounted ONLY)

\$350 - 36" (ceiling mounted ONLY)

\$500 - 60" (ceiling mounted ONLY)

Additional Extender (column ONLY)

\$150 - 6"

\$200 - 12"

LAMPING

Lamps and power supplies included.

1.5w LED

CANOPY (Suspended ONLY)

Stem finish: Unlacquered brass or black powder coated stainless steel

Ceiling mounted (28.3 - 28.12) Brass, black or white canopy

Suspended (28.3 - 28.6) Black or white canopy

Power supply can be remote mounted with 3.7" x 0.2" canopy (for 28.3 - 28.9 ceiling mounted and suspended)

Ceiling Mounted:

28.3 - 39.4" long with 5.6" Ø canopy

28.3 - 70.9" long with 5.6" Ø canopy

28.6 - 70.9" long with 5.6" Ø canopy

28.9 - 106.3" long with 5.6" Ø canopy

28.12 - 145.7" long with 3.7" Ø canopy

Suspended - Horizontal:

28.3 - 35.4" long with 4.6" Ø canopy

28.3 - 70.9" long with 4.6" Ø canopy

28.6 - 70.9" long with 4.6" Ø canopy

Suspended - Vertical:

28.6 - 70.9" long with 4.6" Ø canopy

[SPECS](#) [INSTALL GUIDES](#) [3D FILES](#)