twentieth

Beam Sconce

Pelle



DESCRIPTION

The Beam and Glow Collection is a series of vertical and horizontal light structures that combine vibrant colors with formal abstraction to create an immersive lighting experience.

Inspired by the pure expressions of ‘objecthood’ found in the Minimal Art movement, the Beam and Glow Collection explores the nature of color, light, scale, and context. Each light features an optical grade resin lens framed by bent aluminum panels that have been anodized or stained with a hand-applied finish. The singular line of the lens is echoed in the simple rectangular frame, conjoining clarity of form with a soft and expansive colored light to create an impactful, yet unobtrusive, environment.

The Beam and Glow Collection is available in a variety of sizes and can be wall-mounted, flush-mounted or ceiling-suspended. The amber and rose lens colors draw inspiration from the diffusion of city lights — each hue has an enveloping depth that is at once soothing and contemplative.

ADDITIONAL INFORMATION

MATERIALS: Aluminum, LED, Chromatic Resin Lens

BEAM 02 SCONCE:

LED ILLUMINATION:

Wattage: 12.41

Lumens: 802.4

Color Temperature: 2400K

Life Hours: 50,000

CRI: 95

Local TRIAC Dimmable Driver (120V)

Remote 0-10V Dimmable Driver (240V)

DIMENSIONS:

W 4in/10cm x D 4in/10cm x H 26in/66cm

MOUNTING:

Wall or Flush-Mount

Requires a single gang junction box in the orientation of fixture.

BEAM 04 SCONCE:

LED ILLUMINATION:

Wattage: 25.55

Lumens: 1652

Color Temperature: 2400K

Life Hours: 50,000

CRI: 95

Local TRIAC Dimmable Driver (120V)

Remote 0-10V Dimmable Driver (240V)

DIMENSIONS:

W 4in/10cm x D 4in/10cm x H 47.75in/120cm

MOUNTING:

Wall or Ceiling

Requires a single gang junction box in the orientation of fixture.

BEAM 06 SCONCE:

LED ILLUMINATION:

Wattage: 37.96

Lumens: 2454.4

Color Temperature: 2400K

Life Hours: 50,000

CRI: 95

Local TRIAC Dimmable Driver (120V)

Remote 0-10V Dimmable Driver (240V)

DIMENSIONS:

W 4in/10cm x D 4in/10cm x H 69.25in/176cm

MOUNTING:

Wall or Flush-Mount

Requires a single gang junction box in the orientation of fixture.

FINISHES:

Anodized Finish: Anodized: Silver, Black

Hand-Stained: Lilac, Green

LENS COLOR:
Amber, Rose, Frosted

CERTIFICATION:

UL, cUL, CE

SPEC SHEET