



±240
(9.5")

±165 (6.5")



53
(2")

1490
(58.7")



220
(8.7")

350
(13.8")

760
(30")

1260 (50")

- PENDANTS: eight
- MOUNTING: white powder coated round canopy 350mm (13.8") in diameter x 53mm (2") deep
- LAMPING: 1.5w LED (12w total draw)
- MATERIALS: blown glass, electrical components, white powder-coated canopy, bead blasted stainless steel armature components
- WEIGHT: approximately 27kg (60lb)
- TRANSFORMERS: remote mounting recommended

DESCRIPTION

The 28.8 consists of eight pendants and a modular stainless steel armature system mounted to a canopy. Installation of these creeping fixtures requires swag hooks every 1m (3') from the canopy or in groupings of more than 3 pendants to support long spans. Given the improvisational aspect of this fixture, appropriate structural support is required to hold 9kg (20lbs) for each swag hook throughout the entire area in which the fixture will be hung.

28 is an exploration of specificity in manufacturing. Instead of designing form itself, here the intent was to design a system of making that yields form. Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

A modular armature system connects the glass pieces to a series of branches and stems. Each armature segment carries low-voltage electricity and diverges into 2-4 separate branches, allowing both vertical and horizontal deployment with an infinite variety of possible forms. The branches simply click together during installation for custom, on-site arrangements.




BOCCI

MINI CANOPY

28.8a

Design by Omer Arbel
 PRODUCT SPECIFICATION





2215 (87.2")

PENDANTS: eleven

MOUNTING: white powder coated round canopy 350mm (13.8") in diameter x 53mm (2") deep

LAMPING: 1.5w LED (16.5w total draw)

MATERIALS: blown glass, electrical components, white powder-coated canopy, bead blasted stainless steel armature components

WEIGHT: approximately 37kg (82lb)

TRANSFORMERS: remote mounting recommended

DESCRIPTION

The 28.11 consists of eleven pendants and a modular stainless steel armature system mounted to a canopy. Installation of these creeping fixtures requires swag hooks every 1m (3') from the canopy or in groupings of more than 3 pendants to support long spans. Given the improvisational aspect of this fixture, appropriate structural support is required to hold 9kg (20lbs) for each swag hook throughout the entire area in which the fixture will be hung.

28 is an exploration of specificity in manufacturing. Instead of designing form itself, here the intent was to design a system of making that yields form. Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

A modular armature system connects the glass pieces to a series of branches and stems. Each armature segment carries low-voltage electricity and diverges into 2-4 separate branches, allowing both vertical and horizontal deployment with an infinite variety of possible forms. The branches simply click together during installation for custom, on-site arrangements.

BOCCI


MINI CANOPY

28.11a



Design by Omer Arbel
 PRODUCT SPECIFICATION



LOW VOLTAGE LUMINAIRE
 E476186



±240 (9.5")
 ±165 (6.5")



PENDANTS: sixteen

MOUNTING: white powder coated round canopy 350mm (13.8") in diameter x 53mm (2") deep

LAMPING: 1.5w LED (24w total draw)

MATERIALS: blown glass, electrical components, white powder-coated canopy, bead blasted stainless steel armature components

WEIGHT: approximately 49kg (110lb)

TRANSFORMERS: remote mounting

DESCRIPTION

The 28.16 consists of sixteen pendants and a modular stainless steel armature system mounted to a canopy. Installation of these creeping fixtures requires swag hooks every 1m (3') from the canopy or in groupings of more than 3 pendants to support long spans. Given the improvisational aspect of this fixture, appropriate structural support is required to hold 9kg (20lbs) for each swag hook throughout the entire area in which the fixture will be hung.

28 is an exploration of specificity in manufacturing. Instead of designing form itself, here the intent was to design a system of making that yields form. Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

A modular armature system connects the glass pieces to a series of branches and stems. Each armature segment carries low-voltage electricity and diverges into 2-4 separate branches, allowing both vertical and horizontal deployment with an infinite variety of possible forms. The branches simply click together during installation for custom, on-site arrangements.


BOCCI

MINI CANOPY


28.16a

Design by Omer Arbel
 PRODUCT SPECIFICATION






±240
(9.5")
—
±165 (6.5")



53
(2")

1600
(63")



220
(8.7") | 350
(13.8") | 2730
(107.5")

2130 (84")

PENDANTS: twenty-four
 MOUNTING: white powder coated round canopy 350mm (13.8") in diameter x 53mm (2") deep
 LAMPING: 1.5w LED (36w total draw)
 MATERIALS: blown glass, electrical components, white powder-coated canopy, bead blasted stainless steel armature components
 WEIGHT: approximately 72kg (160lb)
 TRANSFORMERS: remote mounting

DESCRIPTION

The 28.24 consists of twenty-four pendants and a modular stainless steel armature system mounted to a canopy. Installation of these creeping fixtures requires swag hooks every 1m (3') from the canopy or in groupings of more than 3 pendants to support long spans. Given the improvisational aspect of this fixture, appropriate structural support is required to hold 9kg (20lbs) for each swag hook throughout the entire area in which the fixture will be hung.

28 is an exploration of specificity in manufacturing. Instead of designing form itself, here the intent was to design a system of making that yields form. Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

A modular armature system connects the glass pieces to a series of branches and stems. Each armature segment carries low-voltage electricity and diverges into 2-4 separate branches, allowing both vertical and horizontal deployment with an infinite variety of possible forms. The branches simply click together during installation for custom, on-site arrangements.



BOCCI

MINI CANOPY

28.24a

Design by Omer Arbel
 PRODUCT SPECIFICATION





PENDANTS: thirty-six
 MOUNTING: white powder coated round canopy 350mm (13.8") in diameter x 53mm (2") deep
 LAMPING: 1.5w LED (54w total draw)
 MATERIALS: blown glass, electrical components, white powder-coated canopy, bead blasted stainless steel armature components
 WEIGHT: approximately 109kg (245lb)
 TRANSFORMERS: remote mounting

DESCRIPTION

The 28.36 consists of using thirty-six pendants and a modular stainless steel armature system mounted to a canopy. Installation of these creeping fixtures requires swag hooks every 1m (3') from the canopy or in groupings of more than 3 pendants to support long spans. Given the improvisational aspect of this fixture, appropriate structural support is required to hold 9kg (20lbs) for each swag hook throughout the entire area in which the fixture will be hung.

28 is an exploration of specificity in manufacturing. Instead of designing form itself, here the intent was to design a system of making that yields form. Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

A modular armature system connects the glass pieces to a series of branches and stems. Each armature segment carries low-voltage electricity and diverges into 2-4 separate branches, allowing both vertical and horizontal deployment with an infinite variety of possible forms. The branches simply click together during installation for custom, on-site arrangements.




BOCCI

MINI CANOPY

28.36a

Design by Omer Arbel
 PRODUCT SPECIFICATION





PENDANTS: forty-six
 MOUNTING: white powder coated round canopy 350mm (13.8") in diameter x 53mm (2") deep
 LAMPING: 1.5w LED (69w total draw)
 MATERIALS: blown glass, electrical components, white powder-coated canopy, bead blasted stainless steel armature components
 WEIGHT: approximately 138kg (310lb)
 TRANSFORMERS: remote mounting

DESCRIPTION

The 28.46 consists of forty-six pendants and a modular stainless steel armature system mounted to a canopy. Installation of these creeping fixtures requires swag hooks every 1m (3') from the canopy or in groupings of more than 3 pendants to support long spans. Given the improvisational aspect of this fixture, appropriate structural support is required to hold 9kg (20lbs) for each swag hook throughout the entire area in which the fixture will be hung.

28 is an exploration of specificity in manufacturing. Instead of designing form itself, here the intent was to design a system of making that yields form. Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

A modular armature system connects the glass pieces to a series of branches and stems. Each armature segment carries low-voltage electricity and diverges into 2-4 separate branches, allowing both vertical and horizontal deployment with an infinite variety of possible forms. The branches simply click together during installation for custom, on-site arrangements.


BOCCI

MINI CANOPY


28.46a

Design by Omer Arbel
 PRODUCT SPECIFICATION






±165 (6.5")




±240 (9.5")



53 (2')

1600 (63")



220 (8.7")

350 (13.8")

3400 (134")

3250 (128")

PENDANTS: fifty-eight

MOUNTING: white powder coated round canopy 350mm (13.8") in diameter x 53mm (2") deep

LAMPING: 1.5w LED (87w total draw)

MATERIALS: blown glass, electrical components, white powder-coated canopy, bead blasted stainless steel armature components

WEIGHT: approximately 168kg (375lb)

TRANSFORMERS: remote mounting

DESCRIPTION

The 28.58 consists of fifty-eight pendants and a modular stainless steel armature system mounted to a canopy. Installation of these creeping fixtures requires swag hooks every 1m (3') from the canopy or in groupings of more than 3 pendants to support long spans. Given the improvisational aspect of this fixture, appropriate structural support is required to hold 9kg (20lbs) for each swag hook throughout the entire area in which the fixture will be hung.

28 is an exploration of specificity in manufacturing. Instead of designing form itself, here the intent was to design a system of making that yields form. Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

A modular armature system connects the glass pieces to a series of branches and stems. Each armature segment carries low-voltage electricity and diverges into 2-4 separate branches, allowing both vertical and horizontal deployment with an infinite variety of possible forms. The branches simply click together during installation for custom, on-site arrangements.

BOCCI



MINI CANOPY

28.58a

Design by Omer Arbel
 PRODUCT SPECIFICATION



LOW VOLTAGE LUMINAIRE
 E476186



PENDANTS: seventy-two
 MOUNTING: white powder coated round canopy 350mm (13.8") in diameter x 53mm (2") deep
 LAMPING: 1.5w LED (108w total draw)
 MATERIALS: blown glass, electrical components, white powder-coated canopy, bead blasted stainless steel armature components
 WEIGHT: approximately 216kg (485lb)
 TRANSFORMERS: remote mounting

DESCRIPTION

The 28.72 consists of seventy-two pendants and a modular stainless steel armature system mounted to a canopy. Installation of these creeping fixtures requires swag hooks every 1m (3') from the canopy or in groupings of more than 3 pendants to support long spans. Given the improvisational aspect of this fixture, appropriate structural support is required to hold 9kg (20lbs) for each swag hook throughout the entire area in which the fixture will be hung.

28 is an exploration of specificity in manufacturing. Instead of designing form itself, here the intent was to design a system of making that yields form. Individual 28 pendants result from a complex glass blowing technique whereby air pressure is intermittently introduced into and then removed from a glass matrix which is intermittently heated and then rapidly cooled. The result is a distorted spherical shape with a composed collection of imploded inner shapes, one of which acts as a shade for the light source.

A modular armature system connects the glass pieces to a series of branches and stems. Each armature segment carries low-voltage electricity and diverges into 2-4 separate branches, allowing both vertical and horizontal deployment with an infinite variety of possible forms. The branches simply click together during installation for custom, on-site arrangements.

BOCCI
 MINI CANOPY

28.72a

Design by Omer Arbel
 PRODUCT SPECIFICATION

