lambert&fils

twentieth
sales@twentieth.net 323-904-1200
7470 Beverly Blvd, Los Angeles, CA 90036

# BEAUBIEN 09

| | | |
|---|---|---|
| **type** | suspension | |
| **materials** | body : | powder coated aluminium or brass |
| | hardware : | brass |
| | sphere : | milk glass (G50-G80) |
| | canopy: | powder coated steel or brass |
| **total height** | height to be specified upon order | |
| **weight** | 12lb / 5.4kg | |
| **light bulb** | LED (included), 8 x 3.5W | |
| **sockets** | G9 | |
| **voltage** | 120V / 240V | |
| **dimmer** | refer to our recommended list of dimmer models | |
| **certifications** | | |
| **notes** | – must be installed by an electrician;<br>– additional charges for modifications;<br>– lead time between 12-15 weeks;<br>– dimensions are approximate and may vary slightly. | |




Updated: March 2018

lambert&fils

twentieth
sales@twentieth.net 323-904-1200
7470 Beverly Blvd, Los Angeles, CA 90036

# ORDER GUIDE: SKU

| COLLECTION | MODEL | FINISH (body + hardware) |
|---|---|---|
| **BEA** beaubien | **09** | **BLBR** black body, brass hardware<br>**BLGR** black body, graphite hardware |




**BEA** **09** **BLBR** = **BEA09BLBR**
**example**

**FINISH**

brass | black | graphite

**CANOPY**
**swivel option for slanted ceiling**



Updated: March 2018

lambert&fils

twentieth

sales@twentieth.net 323-904-1200
7470 Beverly Blvd, Los Angeles, CA 90036

# LIGHT BULB & DIMMER SPECIFICATIONS

## G9 SOCKETS



Frosted
4.5W
100V-120V / 240V
450 Lumens
2700 K
25 000 H
CRI ≥80
2 years warranty



Frosted
3.5W
100V-120V / 240V
350 Lumens
2700 K
25 000 H
CRI ≥80
2 years warranty

## SPHERES

G100 ∅ ±4" / 100 mm

G80 ∅ ±3" / 80 mm

G60 ∅ ±2" / 60 mm

G50 ∅ ±2" / 50 mm

tube ∅ 1" / 27 mm
length ±2" / 60 mm

## DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

| DIMMER BRAND | MODEL NUMBER | MAX LEVEL | MIN LEVEL | FLICKERING | OVERALL QUOTE |
|---|---|---|---|---|---|
| LUTRON - MAESTRO | MAELV-600 | 100% | 0% | 0%-10% | good |
| LUTRON - SKYLARK | SELV-300P | 100% | 0% | no | very good |
| LUTRON - SKYLARK | SELV-303P | 100% | 0% | no | very good |
| LUTRON - SKYLARK | CTELV-303P | 100% | 0% | no | very good |
| LUTRON - DIVA | DVELV-300P | 100% | 0% | no | very good |
| LEGRAND - ADORNE | TRUE UNIVERSAL | 100% | 30% | no | good |

## DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

| DIMMER BRAND | MODEL NUMBER | MAX LEVEL | MIN LEVEL | FLICKERING | OVERALL QUOTE |
|---|---|---|---|---|---|
| VARILIGHT | V-PRO | 100% | 2% | no | very good |
| LEGRAND - NILOÉ | 3 996 35 | 87% | 15% | no | good |
| NIKO | 310-0280X | 94% | 5% | no | very good |
| NIKO | 310-0190X | 100% | 1% | no | very good |

*Other dimmers can yield good results and we recommand conducting your own test before final installation.

Updated: March 2018