

An abstract architectural photograph featuring a dark, textured background. Three vertical, metallic-looking lines run from the top towards the middle of the frame. A wide, dark, metallic band with a thin, glowing gold edge runs diagonally across the lower half of the image. The overall aesthetic is modern and minimalist.


CATALOGUE / LIMINAL

ROSS GARDAM

SALES@TWENTIETH.NET

Liminal exists in the threshold between object and space. Its floating silhouette is suspended by a trio of central support rods, creating a carefully balanced composition unique to the piece. Intentionally restrained in expression, Liminal draws focus to the refined detailing and precise finishing of its brass or aluminium elements.

Offering independently switched uplight and downlight illumination, Liminal allows for layered atmospheric control within a single fixture. A modular lap joint detail defines the fixture's side profile, reinforcing its architectural character. Available in five lengths and eleven standard finishes, Liminal adapts seamlessly across a range of architectural environments while maintaining its quiet, immersive presence.








IMAGE /

LEFT / LIMINAL TRIPLE DROP DETAIL - BRUSHED BRASS
 RIGHT / LIMINAL END DETAIL - BRUSHED BRASS
 FAR RIGHT / LIMINAL LAP JOINT DETAIL - BRUSHED BRASS



CHAMPAGNE ANODISED



BLACK ANODISED



HAND RUBBED ALUMINIUM



LEFT / BRUSHED BRASS

RIGHT / HAND RUBBED BRASS



LEFT / BRUSHED AGED BRASS

RIGHT / HAND RUBBED AGED BRASS



LEFT / BRUSHED BRONZED BRASS

RIGHT / HAND RUBBED BRONZED BRASS



LEFT / BRUSHED BLACKENED BRASS



RIGHT / HAND RUBBED BLACKENED BRASS




TOP IMAGES / LIMINAL 1950 - BRUSHED BRASS TURNED OFF AND ON

BOTTOM IMAGES / LIMINAL 2230 - HAND RUBBED AGED BRASS TURNED OFF AND ON







LP.1390.TD
L1390 W48 H64 / L54.7" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"




LP.1390.DD
L1390 W48 H64 / L54.7" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"
CEILING CANOPY SPACING - 700MM / 27.56"




LP.1670.TD
L1670 W48 H64 / L65.7" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"




LP.1670.DD
L1670 W48 H64 / L65.7" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"
CEILING CANOPY SPACING - 980MM / 38.58"




LP.1950.TD
L1950 W48 H64 / L76.8" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"




LP.1950.DD
L1950 W48 H64 / L76.8" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"
CEILING CANOPY SPACING - 1260MM / 49.61"




LP.2230.TD
L2230 W48 H64 / L87.8" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"



LP.2230.DD
L2230 W48 H64 / L87.8" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"
CEILING CANOPY SPACING - 1540MM / 60.63"



LP.2510.TD
L2510 W48 H64 / L98.8" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"




LP.2510.DD
L2510 W48 H64 / L98.8" W1.9" H2.5"
MIN DROP HEIGHT - H300 / 11.8"
CEILING CANOPY SPACING - 1820MM / 71.65"



TECHNICAL

AVAILABLE FINISHES



MATERIAL	TREATED BRASS OR TREATED / ANODISED ALUMINIUM		DIMENSIONS	VARIOUS - SEE DIMENSIONS ON PREVIOUS PAGE*		
LAMPING	2700K, SELV 60V (EXTERNAL DRIVER SUPPLIED) 1390 - 25.7W 1670 - 32.2W 1950 - 38.5W 2230 - 45W 2510 - 53W		SKU CODES	EG. LP1950.TD.BR-AGE-R - LIMINAL 1950 PENDANT WITH TRIPLE DROPS, IN HAND RUBBED AGED BRASS FINISH		
DIMMING OPTIONS	TOTAL WATTAGE AND LUMEN OUTPUT WILL VARY SLIGHTLY DEPENDING ON CONSTANT CURRENT OUTPUT.			LP.XXXX.TD.XX-XXX	TRIPLE DROP	
				LP.XXXX.DD.XX-XXX	DOUBLE DROP	
				LP.XXXX.XX.XX-XXX-R	HAND RUBBED FINISH	
				LP.1390.XX.XX-XXX	L1390MM	
				LP.1670.XX.XX-XXX	L1670MM	
DRIVER SIZE	220-240V REGION PHASE DIMMING RANGE 5 - 100% DALI DIMMING RANGE 1 - 100%			LP.1950.XX.XX-XXX	L1950MM	
				LP.2230.XX.XX-XXX	L2230MM	
				LP.2510.XX.XX-XXX	L2510MM	
			FINISHES	ALUMINIUM (A)	CHAMPAGNE ANODISED (A-CHM) BLACK ANODISED (A-BLK) HAND RUBBED ALUMINIUM (AL-NAT-R)	
	ALL US AND CANADIAN ORDERS COME SUPPLIED WITH 120V COMPONENTRY CERTIFIED FOR USE IN THESE REGIONS.			BRASS (BR)	BRUSHED BRASS (BR-NAT) HAND RUBBED BRASS (BR-NAT-R) BRUSHED AGED BRASS (BR-AGE) HAND RUBBED AGED BRASS (BR-AGE-R) BRUSHED BRONZED (BR-BRZ) HAND RUBBED BRONZED (BR-BRZ-R) BRUSHED BLACKENED (BR-BLK) HAND RUBBED BLACKENED (BR-BLK-R)	
LED LIFESPAN	220-240V PHASE ALL LP - L140 X W40 X H23 / L5.5" X W1.6" X H0.9" 220-240V DALI ALL LP - L97 X W43 X H30 / L4.8" X W1.7" / X H1.2"					
	110-120V PHASE / DALI 1390 / 1670 - L88 X W43 X H26.5 / L3.5" X W1.7" X H1" 1950 / 2230 / 2510 - L121 X W44 X H26.5 / L4.8" X W1.7" X H1"		PRODUCT WEIGHT	LP.1390	A - 6KG / 13.2LB	BR - 14.6KG / 32.2LB
				LP.1670	A - 7.1KG / 15.7LB	BR - 16.7KG / 36.8LB
				LP.1950	A - 8KG / 17.6LB	BR - 19.2KG / 42.3LB
				LP.2230	A - 8.9KG / 19.6LB	BR - 21.1KG / 46.5LB
CERTIFICATION	UP & DOWN LIGHTING IS INDIVIDUALLY ADDRESSABLE, 2X DRIVERS PER FIXTURE (CONTACT FOR ALTERNATE OPTIONS)			LP.2510	A - 9.8KG / 21.6LB	BR - 23.3KG / 51.4LB
	50,000 HRS		PACKAGING DIMENSIONS	LP.1390 / 1670	L1710 X W205 X H135	
	AU/NZ AS/NZS 60598.1, 60598.2.1			LP.1950 / 2230	L2270 X W205 X H135	
	EU EN 60598.1, 60598.2.1			LP.2510	L2550 X W205 X H135	
	US/CAN PENDING CERTIFICATION		PACKAGING WEIGHT	LP.1390	A - 9KG / 19.8LB	BR - 17.6KG / 38.8LB
IP RATING	IP20 - FOR INDOOR USE ONLY			LP.1670	A - 10.6KG / 23.4LB	BR - 20.2KG / 44.5LB
				LP.1950	A - 12KG / 26.5LB	BR - 23.2KG / 51.1LB
				LP.2230	A - 13.4KG / 29.5LB	BR - 25.6KG / 56.4LB
				LP.2510	A - 14.8KG / 32.6LB	BR - 28.3KG / 62.4LB



IMAGE /

LIMINAL TRIPLE DROP / UPLIGHT DETAIL IN BRUSHED BRASS



PHOTOGRAPHY BY HAYDN CATTACH - HAYDNCATTACH.COM

COLOUR AND SWATCHES SHOWN IN THIS DOCUMENT ARE FOR REFERENCE ONLY AND MAY DIFFER IN ACTUALITY.

COPYRIGHT ©2026 ROSS GARDAM PTY LTD. ALL CONCEPTS, PHOTOGRAPHY AND IDEAS CONTAINED WITHIN THIS DOCUMENT ARE PRIVATE AND CONFIDENTIAL. THEY MUST NOT BE REPRODUCED IN ANY WAY OR FORM AND REMAIN THE INTELLECTUAL PROPERTY OF ROSS GARDAM. ALL PRODUCTS ARE REGISTERED DESIGNS WITH IP AUSTRALIA.

SALES@TWENTIETH.NET