


2023 LIGHTING CATALOG

sales@twentieth.net 323.904.1200 www.twentieth.net







shown in mottled brass

CHORD - 30" DIA. (76.2cm)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000,

LEAD TIME: 8-10 Weeks



shown in mottled brass

CHORD - 36" DIA. (91.4cm)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000,

LEAD TIME: 8-10 Weeks



shown in gun metal

CHORD - 40" DIA. (101.6cm)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 8-10 Weeks



shown in bronze

CHORD - 48" DIA. (121.9cm)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 8-10 Weeks



shown in bronze

CHORD - 52" DIA. (132.1cm)


FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000,

LEAD TIME: 8-10 Weeks





shown in gun metal

CHORD CONVOY - 30"+30" DIA. (76.2cm X 2)


FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000,

LEAD TIME: 12 Weeks



shown in gun metal

CHORD CONVOY- 36"+36" DIA. (91.4cm X 2)


FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000,

LEAD TIME: 12 Weeks



shown in gun metal


CHORD CONVOY - 40"+40" DIA. (101.6cm X 2)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000, 5000



shown in gun metal

CHORD CONVOY - 48"+48" DIA. (121.9cm X 2)


FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 12 Week



shown in gun metal

CHORD CONVOY - 52"+52" DIA. (121.9cm X 2)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000, 5000





shown in bronze

CHORD CLUSTER - 30" DIA. (76.2cm)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 22200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 12 Weeks



shown in mottled brass

CHORD CLUSTER - 36" DIA. (91.4cm)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000,

LEAD TIME: 12 Weeks



shown in polished nickel

CHORD CLUSTER - 40" DIA. (101.6cm)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000, 5000



shown in bronze

CHORD CLUSTER - 48" DIA. (121.9cm)

FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 12 Weeks



shown in bronze


CHORD CLUSTER - 52" DIA. (121.9cm)


FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature(K): 2200, 2700, 3000, 3500, 4000, 5000







shown in natural with blackened steel

2X4 PENDANT - 48" (121.9cm)

FINISHES:

Metal: Blackened Steel, Brushed Brass, Brushed Steel,

Satin White
Wood: Natural, Whitewashed, Black Dye

SPECIFICATIONS: 120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000,

LEAD TIME: 8 Weeks



Metal: Blackened Steel, Brushed Brass, Brushed Steel, Satin White

Wood: Natural, Whitewashed, Black Dye



LEAD TIME: 8 Weeks



shown in whitewashed with satin white

shown in black dye with blackened steel

2X4 PENDANT - 96" (243.8cm)

FINISHES:

Metal: Blackened Steel, Brushed Brass, Brushed Steel, Satin White

Wood: Natural, Whitewashed, Black Dye

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000



shown in black dye with blackened steel

2X4 PENDANT - 120" (304.8cm)

FINISHES:

Metal: Blackened Steel, Brushed Brass, Brushed Steel,

Satin White Wood: Natural, Whitewashed, Black Dye

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable

LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 10 Weeks



shown in black dye with blackened steel

2X4 PENDANT - 144" (365.8cm)

FINISHES:

Metal: Blackened Steel, Brushed Brass, Brushed Steel, Satin White

Wood: Natural, Whitewashed, Black Dye

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000,





shown in black leather & blackened steel

2X4 LEATHER - 48" (121.9cm)

FINISHES:


Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

Leather: Black, Dark Brown, Cognac, Cobalt

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 10 Weeks



shown in cobalt leather & mottled brass

2X4 LEATHER - 72" (182.8cm)

FINISHES:


Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

Leather: Black, Dark Brown, Cognac, Cobalt

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 10 Weeks



shown in dark brown leather & mottled brass

2X4 LEATHER - 96" (243.8cm)


FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

Leather: Black, Dark Brown, Cognac, Cobalt

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000



shown in dark brown leather & mottled brass

2X4 LEATHER - 120" (243.8cm)

FINISHES


Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

Leather: Black, Dark Brown, Cognac, Cobalt

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 12 Weeks



shown in dark brown leather & mottled brass

2X4 LEATHER - 144" (243.8cm)


FINISHES:

Metal: Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

Leather: Black, Dark Brown, Cognac, Cobalt

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000





shown in whitewashed with brass

2X4 PLUS PENDANT - 36" (SMALL) (121.9cm)

FINISHES:

Metal: Blackened Steel, Brushed Brass, Brushed Steel Wood: Natural, Whitewashed, Black Dye

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 10 Weeks



shown in black dye with blackened steel

2X4 PLUS PENDANT - 48" (MEDIUM) (182.8cm)

FINISHES:

Metal: Blackened Steel, Brushed Brass, Brushed Steel Wood: Natural, Whitewashed, Black Dye

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000,

LEAD TIME: 10 Weeks



shown in natural with brushed steel

2X4 PLUS PENDANT - 60" (LARGE) (243.8cm)

FINISHES:

Metal: Blackened Steel, Brushed Brass, Brushed Steel Wood: Natural, Whitewashed, Black Dye

SPECIFICATIONS:

120V-277V, UL Listed, Dimmable LED Temperature (K): 2200, 2700, 3000, 3500, 4000, 5000





shown in blackened steel with cordova shell limestone

CANE FLOOR LAMP - 72" H x 30" W

FINISHES:

Brushed Brass, Polished Brass, Mottled Brass, Bronze, Gun Metal, Polished Nickel, Brushed Nickel, Blackened Steel

Stone: Cordova Shell Limestone

SPECIFICATIONS:

120V, Dimmable LED Temperature(K): 22200, 2700, 3000, 3500, 4000, 5000

LEAD TIME: 12 Weeks

www.twentieth.net | sales@twentieth.net | 323-904-1200

PHOTOGRAPHY

ALAN TANSEY JUAN UDE

CONTACT

Gallery by appointment

323-904-1200 7728 Woodrow Wilson Dr. Los Angeles, CA 90046

For Appointments Call 323-904-1200 Email gallery@twentieth.net

CONTACT

sales@twentieth.net

www.twentieth.net

twentieth

