

Maxhedron

Horizontal - 24 inches

Series

Maxhedron

Product

Horizontal - 24 inches

Dimensions

L 24in/61cm W 11in/28cm H 13in/32cm

Weight

14.5lb/6.5kg

Materials

Brass, steel, two-way mirror

Finishes

Blackened steel, oil-rubed bronze, polished nickel, brushed brass

Suspension

1/2-inch steel stem in matching metal finish. 35-inch length included with lamp. 72-inch length available for additional cost. Stem length can be adjusted on site.

5-inch canopy in matching metal finish

Ceiling Slope

0°-10° mounting slope. Up to 90° variable hang-straight available upon request.

Certifications

UL, cUL (120V) CE (240V)

R&H LED Bulb (120V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+ Bulb Lifetime: 50,000 Hours est. Dimming: TRIAC or ELV

R&H LED Bulb (240V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+ Bulb Lifetime: 50,000 Hours est. Dimming: TRIAC or ELV

Driver Location


Driver located in the canopy


Fixture Mounting

Designed to be mounted on standard 4in. Electrical Box. Two #8-32 screws included. Additional mounting hardware provided

for 240V versions.

Designed by Bec Brittain, 2012





Maxhedron

<u>Fini</u>

<u>Series</u> Maxhedron

Product

Vertical - 24 inches

Dimensions

L 13in/32cm W 11in/28cm H 24in/61cm

Weight

14.5lb/6.5kg

<u>Materials</u>

Brass, steel, two-way mirror

<u>Finishes</u>

Blackened steel, oil-rubed bronze, polished nickel, brushed brass

Vertical - 24 inches

Suspension

1/2-inch steel stem in matching metal finish. 35-inch length included with lamp. 72-inch length available for additional cost. Stem length can be adjusted on site.

Canopy

5-inch canopy in matching metal finish

Ceiling Slope

0°-10° mounting slope. Up to 90° variable hang-straight available upon request.

Certifications UL, cUL (120V) CE (240V) R&H LED Bulb (120V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+Bulb Lifetime: 50,000 Hours est.

Dimming: TRIAC or ELV

R&H LED Bulb (240V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+Bulb Lifetime: 50,000 Hours est.

Dimming: TRIAC or ELV

Driver Location

Driver located in the canopy


Fixture Mounting

Designed to be mounted on standard 4in. Electrical Box.
Two #8-32 screws included.

Additional mounting hardware provided

for 240V versions.

Designed by Bec Brittain, 2012



Maxhedron

Horizontal - 30 inches

Series Maxhedron

Product

Horizontal - 30 inches

Dimensions

L 30in/77cm W 14in/35cm H 16in/41cm

Weight 18lb/8kg

<u>Materials</u>

Brass, steel, two-way mirror

Finishes

Blackened steel, oil-rubed bronze, polished nickel, brushed brass

Suspension

1/2-inch steel stem in matching metal finish. 35-inch length included with lamp. 72-inch length available for additional cost. Stem length can be adjusted on site.

Canopy

5-inch canopy in matching metal finish

Ceiling Slope

0°-10° mounting slope. Up to 90° variable hang-straight available upon request.

Certifications UL, cUL (120V) CE (240V) R&H LED Bulb (120V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+Bulb Lifetime: 50,000 Hours est.

Dimming: TRIAC or ELV

R&H LED Bulb (240V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+Bulb Lifetime: 50,000 Hours est.

Dimming: TRIAC or ELV

Driver Location


Driver located in the canopy

Fixture Mounting

Designed to be mounted on standard 4in. Electrical Box.
Two #8-32 screws included.

Additional mounting hardware provided

for 240V versions.



Maxhedron

Vertical - 30 inches

Series

Maxhedron

Product

Vertical - 30 inches

Dimensions

L 16in/40cm x W 14in/35cm x H 30in/77cm

Weight

18lb/8kg

Materials

Brass, steel, two-way mirror

Finishes

Blackened steel, oil-rubed bronze, polished nickel, brushed brass

Suspension

1/2-inch steel stem in matching metal finish. 35-inch length included with lamp. 72-inch length available for additional cost. Stem length can be adjusted on site.

Canopy

5-inch canopy in matching metal finish

Ceiling Slope

0°- 10° mounting slope.
Up to 90° variable hang-straight available upon request.

Certifications

UL, cUL (120V) CE (240V)

R&H LED Bulb (120V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+Bulb Lifetime: 50,000 Hours est.

Dimming: TRIAC or ELV

R&H LED Bulb (240V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+Bulb Lifetime: 50,000 Hours est.

Dimming: TRIAC or ELV

Driver Location


Driver located in the canopy

Fixture Mounting

Designed to be mounted on standard 4in. Electrical Box. Two #8-32 screws included. Additional mounting hardware provided

for 240V versions.

Designed by Bec Brittain, 2012



Maxhedron

Horizontal - 42 inches

Series

Maxhedron

Product

Horizontal - 42 inches

Dimensions

L 42in/107cm x W 18.5in/47cm x H 21in/53cm

Weight

35lb/16kg

Materials

Brass, steel, two-way mirror

Finishes

Blackened steel, oil-rubed bronze, polished nickel, brushed brass

Suspension

1/2-inch steel stem in matching metal finish. 35-inch length included with lamp. 72-inch length available for additional cost. Stem length can be adjusted on site.

5-inch canopy in matching metal finish

Ceiling Slope

0°-10° mounting slope. Up to 90° variable hang-straight available upon request.

Certifications

UL, cUL (120V) CE (240V)

R&H LED Bulb (120V)

Socket: G4 Bulb: 8 x 1.5 Watt LED

Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+ Bulb Lifetime: 50,000 Hours est. Dimming: TRIAC or ELV

R&H LED Bulb (240V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+ Bulb Lifetime: 50,000 Hours est. Dimming: TRIAC or ELV

Driver Location


Driver located in the canopy

Fixture Mounting

Designed to be mounted on standard 4in. Electrical Box. Two #8-32 screws included. Additional mounting hardware provided

for 240V versions.

Designed by Bec Brittain, 2012



Maxhedron

Vertical - 42 inches

Series

Maxhedron

Product

Vertical - 42 inches

Dimensions

L 21in/53cm x W 18.5in/47cm x H 42in/107cma

Weight

35lb/16kg

Materials

Brass, steel, two-way mirror

Finishes

Blackened steel, oil-rubed bronze, polished nickel, brushed brass

Suspension

1/2-inch steel stem in matching metal finish. 35-inch length included with lamp. 72-inch length available for additional cost. Stem length can be adjusted on site.

5-inch canopy in matching metal finish

Ceiling Slope

0°-10° mounting slope. Up to 90° variable hang-straight available upon request.

Certifications UL, cUL (120V) CE (240V)

R&H LED Bulb (120V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts

Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+ Bulb Lifetime: 50,000 Hours est.

Dimming: TRIAC or ELV

R&H LED Bulb (240V)

Socket: G4

Bulb: 8 x 1.5 Watt LED Wattage: 12 Watts Lumens: 220 Lumens est.

Color Temperature: 2700K, CRI: 90+ Bulb Lifetime: 50,000 Hours est.

Dimming: TRIAC or ELV

Driver Location

Driver located in the canopy

Fixture Mounting

Designed to be mounted on standard 4in. Electrical Box. Two #8-32 screws included.

Additional mounting hardware provided for 240V versions.

Designed by Bec Brittain, 2012