

SHY 01

*Lead Time*14 - 16 weeks

Dimensions

77 inch x 29 inch x 29 inch H 1955 mm x 740 mm x 740 mm H

Weight 31 lb / 14.1 kg

*LED Illumination*24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical

Wattage: 93 Watt Lumens: 7440 Lumens 110 - 240 VAC 277 VAC upon request Installation - Standard

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 10.25 x 1.625 inch (260 x 41 mm) round
in matching metal finish

Installation - Alternate

Remotely mounted driver Dimming: 0-10V hardwired Canopy: 5 x 0.25 inch (127 x 6 mm) round in matching metal finish

Please inquire for detailed electrical specs

Suspension

1/8 IP all-thread stem clad in brass tubing with matching metal finish up to 35 inch / 890 mm length included with fixture.

Length up to 95 inches / 2415 mm available for additional cost.

UL / cUL listed. CE Certified. Suitable for damp locations


Materials
Finished Brass


Standard Finishes


Brushed Brass Oil-Rubbed Bronze Satin Nickel Nickel Brass Contrast

Special Order Finishes

Polished Brass Medium Antique Brass Polished Nickel Dark Pewter Polished Black Nickel Polished Copper Smoky Copper







SHY 02

*Lead Time*14 - 16 weeks

Dimensions

39 inch x 35 inch x 34 inch H 990 mm x 890 mm x 865 mm H

Weight 21 lb / 9.5 kg

*LED Illumination*24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical

Wattage: 63 Watt Lumens: 5040 Lumens 110 - 240 VAC 277 VAC upon request Installation - Standard

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 9.25 x 1.625 inch (235 x 41 mm) round
in matching metal finish

Installation - Alternate

Remotely mounted driver Dimming: 0-10V hardwired Canopy: 5 x 0.25 inch (127 x 6 mm) round in matching metal finish

Please inquire for detailed electrical specs

Suspension

1/8 IP all-thread stem clad in brass tubing with matching metal finish up to 35 inch / 890 mm length included with fixture.

Length up to 95 inches / 2415 mm available for additional cost.

UL / cUL listed. CE Certified. Suitable for damp locations


Materials
Finished Brass


Standard Finishes


Brushed Brass Oil-Rubbed Bronze Satin Nickel Nickel Brass Contrast

Special Order Finishes

Polished Brass Medium Antique Brass Polished Nickel Dark Pewter Polished Black Nickel Polished Copper Smoky Copper







SHY 06

*Lead Time*14 - 16 weeks

Dimensions

48 inch x 30 inch x 46 inch H 1220 mm x 765 mm x 1170 mm H

Weight 22 lb / 10 kg

*LED Illumination*24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical

Wattage: 69 Watt Lumens: 5520 Lumens 110 - 240 VAC 277 VAC upon request Installation - Standard

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 9.25 x 1.625 inch (235 x 41 mm) round
in matching metal finish

Installation - Alternate

Remotely mounted driver Dimming: 0-10V hardwired Canopy: 5 x 0.25 inch (127 x 6 mm) round in matching metal finish

Please inquire for detailed electrical specs

Suspension

1/8 IP all-thread stem clad in brass tubing with matching metal finish up to 35 inch / 890 mm length included with fixture.

Length up to 95 inches / 2415 mm available for additional cost.

UL / cUL listed. CE Certified. Suitable for damp locations


Materials
Finished Brass


Standard Finishes


Brushed Brass Oil-Rubbed Bronze Satin Nickel Nickel Brass Contrast

Special Order Finishes

Polished Brass Medium Antique Brass Polished Nickel Dark Pewter Polished Black Nickel Polished Copper Smoky Copper







SHY 08.1

*Lead Time*14 - 16 weeks

Dimensions

68 inch x 26 inch x 27 inch H 1730 mm x 660 mm x 685 mm H

Weight 21 lb / 9.5 kg

*LED Illumination*24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical

Wattage: 75 Watt Lumens: 6000 Lumens 110 - 240 VAC 277 VAC upon request Installation - Standard

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 10.25 x 1.625 inch (260 x 41 mm) round
in matching metal finish

Installation - Alternate

Remotely mounted driver Dimming: 0-10V hardwired Canopy: 5 x 0.25 inch (127 x 6 mm) round in matching metal finish

Please inquire for detailed electrical specs

Suspension

1/8 IP all-thread stem clad in brass tubing with matching metal finish up to 35 inch / 890 mm length included with fixture.

Length up to 95 inches / 2415 mm available for additional cost.

UL / cUL listed. CE Certified. Suitable for damp locations


Materials
Finished Brass


Standard Finishes

Brushed Brass Oil-Rubbed Bronze Satin Nickel Nickel Brass Contrast

Special Order Finishes

Polished Brass Medium Antique Brass Polished Nickel Dark Pewter Polished Black Nickel Polished Copper Smoky Copper





SHY 15

*Lead Time*14 - 16 weeks

Dimensions

81 inch x 34 inch x 74 inch H 2060 mm x 865 mm x 1880 mm H

Weight 29 lb/13.2 kg

*LED Illumination*24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical

Wattage: 105 Watt Lumens: 8400 Lumens 110 - 240 VAC 277 VAC upon request Installation - Standard

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 12.25 x 1.75 inch (311 x 44 mm) round
in matching metal finish

Installation - Alternate

Remotely mounted driver Dimming: 0-10V hardwired Canopy: 5 x 0.25 inch (127 x 6 mm) round in matching metal finish

Please inquire for detailed electrical specs

Suspension

1/8 IP all-thread stem clad in brass tubing with matching metal finish up to 35 inch / 890 mm length included with fixture.

Length up to 95 inches / 2415 mm available for additional cost.

UL / cUL listed. CE Certified. Suitable for damp locations

Materials


Finished Brass


Standard Finishes


Brushed Brass Oil-Rubbed Bronze Satin Nickel Nickel Brass Contrast

Special Order Finishes

Polished Brass Medium Antique Brass Polished Nickel Dark Pewter Polished Black Nickel Polished Copper Smoky Copper







SHY 17

*Lead Time*14 - 16 weeks

Dimensions

38 inch x 18 inch x 17 inch H 965 mm x 460 mm x 435 mm H

Weight 13 lb / 5.9 kg

LED Illumination
24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical

Wattage: 33 Watt Lumens: 2640 Lumens 110 - 240 VAC 277 VAC upon request Installation - Standard

Locally mounted driver

120V Dimming: C·L (Lutron) switching

240V Dimming: 0-10V wireless (Lutron Pico)

Canopy: 8 x 1.6255 inch (203 x 41 mm) round
in matching metal finish

Installation - Alternate

Remotely mounted driver
120V Dimming: C·L (Lutron) switching
240V Dimming: 0-10V hardwired
Canopy: 5 x 0.25 inch (127 x 6 mm) round
in matching metal finish

Please inquire for detailed electrical specs

Suspension

1/8 IP all-thread stem clad in brass tubing with matching metal finish up to 35 inch / 890 mm length included with fixture. Length up to 95 inches / 2415 mm available for additional cost.


UL / cUL listed. CE certified. Suitable for damp locations *Materials* Finished Brass


Standard Finishes
Brushed Brass
Oil-Rubbed Bronze


Satin Nickel Nickel Brass Contrast

Special Order Finishes

Polished Brass Medium Antique Brass Polished Nickel Dark Pewter Polished Black Nickel Polished Copper Smoky Copper







SHY 18

*Lead Time*14 - 16 weeks

*Dimensions*29 inch x 20 inch x 27 inch H
740 mm x 510 mm x 690 mm H

Weight 14 lb / 6.4 kg

LED Illumination
24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical
Wattage: 36 Watt
Lumens: 2880 Lumens
110 - 240 VAC
277 VAC upon request

Installation - Standard

Locally mounted driver

120V Dimming: C·L (Lutron) switching

240V Dimming: 0-10V wireless (Lutron Pico)

Canopy: 8 x 1.6255 inch (203 x 41 mm) round
in matching metal finish

Installation - Alternate
Remotely mounted driver
120V Dimming: C·L (Lutron) switching
240V Dimming: 0-10V hardwired
Canopy: 5 x 0.25 inch (127 x 6 mm) round
in matching metal finish

Please inquire for detailed electrical specs

Suspension


1/8 IP all-thread stem clad in brass tubing with matching metal finish up to 35 inch / 890 mm length included with fixture.

Length up to 95 inches / 2415 mm available for additional cost.

UL / cUL listed. CE certified. Suitable for damp locations *Materials*Finished Brass

Standard Finishes
Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast

Special Order Finishes
Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper





SHY Beam 01/02 Pair

Lead Time

14 - 16 weeks

Dimensions

Each: 1 inch diam. x 87 inch H 26 mm diam. x 2210 mm H

Weight

Pair: 8 lb / 3.6 kg

LED Illumination 24 VDC T5 LED tube 0-10V dimming 2700 Kelvin 90 CRI Installation

Two wall brackets in matching metal finish provided.

Wiring

Beams wired as a pair with one floor switch and one plug-in transformer (2in x 3in x 1.25in)

Dimmer available at additional cost.

Electrical - Total

Pair Wattage: 18 Watt Pair Lumens: 1440 Lumens

Input Voltage 120 / 240 VAC

Materials

Finished Brass

Standard Finishes

Brushed Brass Oil-Rubbed Bronze Satin Nickel


Nickel Brass Contrast

Special Order Finishes


Polished Brass Medium Antique Brass Polished Nickel Dark Pewter

Polished Black Nickel Polished Copper Smoky Copper


UL / cUL listed. CE certified.



SHY Sconce 1'



SHY Sconce 2'



SHY Sconce 3'

SHY Sconces

Lead Time

10 - 12 weeks Standard Finsh

14 - 16 weeks Special Order

Dimensions

Indicated in the drawings above

Weight

1': 2.8 lb / 1.3 kg 2': 3 lb / 1.4 kg

3': 3.5 lb / 1.6 kg

LED Illumination
24 VDC T5 LED tube

2700 Kelvin 90 CRI Installation - Standard

Remote: Backplate mounts directly to

standard US single gang box

Local: Refer to installation diagram

Backplate

Remote: 2.5 x 4.2 inch / 63 x 107 mm in

matching metal finish

Local: 3 x 12.5 inch (76 x 317 mm) in matching metal finish at additional cost

Electrical - Total

Wattage: 3 / 6 / 9 Watt

Lumens: 240 / 480 / 720

110 - 240 VAC

277 VAC upon request

0-10V dimming upon request

Diffusers available at additional cost

UL / cUL listed. CE certified. Suitable for damp locations

Materials

Finished Brass

Standard Finishes

Brushed Brass Oil-Rubbed Bronze

Satin Nickel

Nickel Brass Contrast

Special Order Finishes

Polished Brass Medium Antique Brass

Polished Nickel Dark Pewter

Polished Black Nickel Polished Copper

Smoky Copper