


BEC BRITAIN



Zelda

Lead Time

14 - 16 weeks

Dimensions

As indicated in the drawings above. Height for all models is 1 inch / 26 mm.

Weight

s: 7 lb / 3.2 kg
m: 8.5 lb / 3.9 kg
l: 10.5 lb / 4.8 kg

LED Illumination

24 VDC T5 LED tube
2700 Kelvin
CRI 90

Input Voltage

110 - 240 VAC
277 VAC upon request

Installation

Locally mounted driver
120V Dimming: C-L (Lutron) switching
240V Dimming: 0-10V wireless (Lutron Pico)
Canopy: 12.25 x 1.75 inch (311 x 44 mm) round
in matching metal finish

Suspension

Aircraft cable with adjustable fasteners in the canopy. Variable suspension height.

Wiring

24V low voltage power through the aircraft cables.

Electrical - Total

s: Wattage: 12 Watt
Lumens: 960 Lumens
m: Wattage: 24 Watt
Lumens: 1920 Lumens
l: Wattage: 36 Watt
Lumens: 2880 Lumens

Materials

Finished Brass

Standard Finishes


Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast

Special Order Finishes


Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper

UL / cUL Listed

BEC BRITAIN




FRONT



SIDE

Min. Drop: 41" / 1040 mm



PLAN

Zelda Links Large

Lead Time

14 - 16 weeks

Dimensions

133in x 39in x 33in H
3380 mm x 990 mm 890 mm H

Weight

30 lb / 13.6 kg

LED Illumination

24 VDC T5 LED tube
2700 Kelvin
CRI 90

Electrical

Wattage: 108 Watt
Lumens: 8640 Lumens
110 - 240 VAC
277 VAC upon request

Installation

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 12.25 x 1.75 inch (311 x 44 mm) round
in matching metal finish

Suspension

Aircraft cable with adjustable fasteners in
the canopy. Variable suspension height.

Wiring

24V low voltage power through the aircraft
cables.

Materials

Finished Brass

Standard Finishes


Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast

Special Order Finishes


Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper

UL / cUL Listed


BEC BRITTAIN



FRONT



SIDE



PLAN

Zelda Orbits Medium

Lead Time

14 - 16 weeks

Dimensions

28 inch x 42 inch x 28 inch H
710 mm x 1065 mm x 710 mm H

Weight

14.5 lb / 6.6 kg

LED Illumination

24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical

Wattage: 36 Watt
Lumens: 2880 Lumens
110 - 240 VAC
277 VAC upon request

Installation - Standard

Locally mounted driver
120V Dimming: C-L (Lutron) switching
240V Dimming: 0-10V wireless (Lutron Pico)
Canopy: 8 x 1.6255 inch (203 x 41 mm) round
in matching metal finish

Installation - Alternate

Remotely mounted driver
120V Dimming: C-L (Lutron) switching
240V Dimming: 0-10V hardwired
Canopy: 5 x 0.25 inch (127 x 6 mm) round
in matching metal finish

Please inquire for detailed electrical specs

Suspension

1/8 IP all-thread stem clad in brass tubing
with matching metal finish up to 35 inch /
890 mm length included with fixture.
Length up to 95 inches / 2415 mm available
for additional cost.

UL / cUL Listed

Materials

Finished Brass


Standard Finishes

Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast

Special Order Finishes

Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper

BEC BRITAIN



Zelda Orbits Large

Lead Time

14 - 16 weeks

Dimensions

39 inch x 60 inch x 46 inch H
990 mm x 1525 mm x 1170 mm H

Weight

17.5 lb / 7.9 kg

LED Illumination

24 VDC T5 LED tube
2700 Kelvin
90 CRI

Electrical

Wattage: 60 Watt
Lumens: 4800 Lumens
110 - 240 VAC
277 VAC upon request

Installation - Standard

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 9.25 x 1.625 inch (235 x 41 mm) round
in matching metal finish

Installation - Alternate

Remotely mounted driver
Dimming: 0-10V hardwired
Canopy: 5 x 0.25 inch (127 x 6 mm) round
in matching metal finish

Please inquire for detailed electrical specs

Suspension

1/8 IP all-thread stem clad in brass tubing
with matching metal finish up to 35 inch /
890 mm length included with fixture.
Length up to 95 inches / 2415 mm available
for additional cost.

Materials

Finished Brass

Standard Finishes

Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast


Special Order Finishes

Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper

UL / cUL Listed

Ver: 2022-10

BEC BRITAIN



Zelda Orbital Plane Medium

Lead Time

14 - 16 weeks

Dimensions

28 inch x 42 inch x 16 inch H
710 mm x 1065 mm x 405 mm H

Weight

14.5 lb / 6.6 kg

LED Illumination

24 VDC T5 LED tube
0-10V dimming
2700 Kelvin

Electrical

Wattage: 36 Watt
Lumens: 2880 Lumens
110 - 240 VAC
277 VAC upon request

Installation

Locally mounted driver
120V Dimming: C·L (Lutron) switching
240V Dimming: 0-10V wireless (Lutron Pico)
Canopy: 12.25 x 1.75 inch (311 x 44 mm) round
in matching metal finish

Suspension

Aircraft cable with adjustable fasteners in
the canopy. Variable suspension height.

Wiring

24V low voltage power through the aircraft
cables.

Materials

Finished Brass

Standard Finishes


Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast

Special Order Finishes

Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper

UL / cUL Listed

BEC BRITAIN



Zelda Orbital Plane Large

Lead Time

14 - 16 weeks

Dimensions

39 inch x 61 inch x 23 inch H
990 mm x 1550 mm x 585 mm H

Weight

17.5 lb / 7.9 kg

LED Illumination

24 VDC T5 LED tube
0-10V dimming
2700 Kelvin

Electrical - Total

Wattage: 60 Watt
Lumens: 4800 Lumens
110 - 240 VAC
277 VAC upon request

Installation

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 12.25 x 1.75 inch (311 x 44 mm) round
in matching metal finish

Suspension

Aircraft cable with adjustable fasteners in
the canopy. Variable suspension height.

Wiring

24V low voltage power through the aircraft
cables.

Materials

Finished Brass

Standard Finishes


Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast

Special Order Finishes

Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper

UL / cUL Listed

BEC BRITAIN



Zelda Links Small

Lead Time

14 - 16 weeks

Dimensions

57 inch x 17 inch x 14 inch H
1450 mm x 435 mm 355 mm H

Weight

21 lb / 9.5 kg

LED Illumination

24 VDC T5 LED tube
2700 Kelvin
CRI 90

Electrical - Total

Wattage: 36 Watt
Lumens: 2880 Lumens
110 - 240 VAC
277 VAC on request

Installation

Locally mounted driver
120V Dimming: C-L (Lutron) switching
240V Dimming: 0-10V wireless (Lutron Pico)
Canopy: 12.25 x 1.75 inch (311 x 44 mm) round
in matching metal finish

Suspension

Aircraft cable with adjustable fasteners in
the canopy. Variable suspension height.

Wiring

24V low voltage power through the aircraft
cables.

Materials

Finished Brass

Standard Finishes


Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast

Special Order Finishes


Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper

UL / cUL Listed


BEC BRITAIN



FRONT



SIDE



PLAN

Zelda Links Medium

Lead Time

14 - 16 weeks

Dimensions

93 inch x 27 inch x 22 inch H
2360 mm x 685 mm 560 mm H

Weight

25 lb / 11.3 kg

LED Illumination

24 VDC T5 LED tube
2700 Kelvin
CRI 90

Electrical - Total

Wattage: 72 Watt
Lumens: 5760 Lumens
110 - 240 VAC
277 VAC on request

Installation

Locally mounted driver
Dimming: 0-10V wireless (Lutron Pico)
Canopy: 12.25 x 1.75 inch (311 x 44 mm) round
in matching metal finish

Suspension

Aircraft cable with adjustable fasteners in
the canopy. Variable suspension height.

Wiring

24V low voltage power through the aircraft
cables.

Materials

Finished Brass

Standard Finishes

Brushed Brass
Oil-Rubbed Bronze
Satin Nickel
Nickel Brass Contrast

Special Order Finishes

Polished Brass
Medium Antique Brass
Polished Nickel
Dark Pewter
Polished Black Nickel
Polished Copper
Smoky Copper

UL / cUL Listed