

± Ø165mm

Image shown above 28.7c with round canopy

<b>Series</b>	28
<b>Mounting</b>	Ceiling mounted
<b>Glass Colours</b>	Clear, various colours
<b>Lamp</b>	1.5W LED, 2500K, 130lm 20W Xenon, 2600K, 196lm
<b>Copper Length</b>	Fixed lengths. 3000mm standard / up to 9900mm maximum
<b>Canopy Finish</b>	White canopy
<b>Materials</b>	Blown glass, flexible copper suspension, electrical components, steel canopy
<b>Power Supply</b>	Integral Bocci recommends remote mounting power supplies for ease of long-term maintenance.
<b>Environment</b>	Indoor, dry location. IP30
<b>Note</b>	Unless otherwise noted when ordering, all fixtures will be outfitted to be xenon compatible.  Every single Bocci product is handmade. Each one is variously blown, poured, carved, polished, packed and dispatched directly by us. As such, no two products are identical; they are individual, irregular expressions of our research.
<b>Patent #</b>	CAN 134238 US D687,740 EU 001695834-001 to 004


**Weight (kg)**

<b>28.1c</b>	1.75
<b>28.1c deep</b>	1.75
<b>28.1mc</b>	1.6
<b>28.3c</b>	4.25
<b>28.7c</b>	9.75
<b>28.13c</b>	25.9
<b>28.19c</b>	49.5
<b>28.37c</b>	81
<b>28.61c</b>	113

**Certifications**




NON-ADJUSTABLE LENGTH



up to 3000  
standard  
up to 9900  
custom


All dimensions are in millimeters (mm) unless otherwise specified.

NON-ADJUSTABLE LENGTH




**XXX.1C**  
SPECIFICATION

<b>Pendant</b>	One
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral




**XXX.1C DEEP**  
SPECIFICATION

<b>Pendant</b>	One
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral




**XXX.1MC / 38.3M**  
SPECIFICATION

<b>Pendant(s)</b>	One/Three
<b>Material</b>	Copper or white powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Remote



**38.3C**  
SPECIFICATION


<b>Pendants</b>	Three
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral



All dimensions are in millimeters (mm) unless otherwise specified.

**XXX.7C**  
SPECIFICATION


<b>Pendants</b>	Seven
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral



All dimensions are in millimeters (mm) unless otherwise specified.


**38.11 RECTANGLE**  
SPECIFICATION

<b>Pendants</b>	Eleven
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral
<b>Wood Backing</b>	704 x 138 x 16




**XXX.13C**  
SPECIFICATION

<b>Pendants</b>	Thirteen
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral
<b>Wood Backing</b>	Ø250 x 16




**38.16 RECTANGLE**  
SPECIFICATION

<b>Pendants</b>	Sixteen
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral
<b>Wood Backing</b>	954 x 224 x 16



**XXX.19C**  
SPECIFICATION


<b>Pendants</b>	Nineteen
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral
<b>Wood Backing</b>	Ø355 x 16



All dimensions are in millimeters (mm) unless otherwise specified.


**38.28 RECTANGLE**  
SPECIFICATION

<b>Pendants</b>	Twenty-eight
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral
<b>Wood Backing</b>	1174 x 298 x 16




**XXX.37C**  
SPECIFICATION

<b>Pendants</b>	Thirty-seven
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral
<b>Wood Backing</b>	Ø454 x 16



**XXX.61C**  
SPECIFICATION

<b>Pendants</b>	Sixty-one
<b>Material</b>	White powder coated stainless steel cover
<b>Copper Suspension</b>	Non-adjustable. 3000 standard / up to 9900 maximum
<b>Power Supply</b>	Integral
<b>Wood Backing</b>	Ø561 x 16



All dimensions are in millimeters (mm) unless otherwise specified.