




ADJUSTABLE LENGTH

**ADJUSTABLE LENGTH—
PENDANT ANCHOR KIT**

**NON-ADJUSTABLE LENGTH—
PENDANT ANCHOR KIT**





up to
3000
standard

up to
30500
custom

NON-ADJUSTABLE LENGTH

NON-ADJUSTABLE LENGTH— PENDANT ANCHOR KIT




up to
3000
standard

up to
9900
custom

All dimensions are in millimeters (mm) unless otherwise specified.


XXX.3 CLUSTER
SPECIFICATION

Pendants	Three
Materials	Brushed nickel, white or black powder coated stainless steel cover
Cable	Coaxial cable Adjustable. 3000 standard / up to 30500 maximum
Power Supply	Integral



XXX.7 CLUSTER
SPECIFICATION


Pendants	Seven
Materials	Brushed nickel, white or black powder coated stainless steel cover
Cable	Coaxial cable Adjustable. 3000 standard / up to 30500 maximum
Power Supply	Integral



All dimensions are in millimeters (mm) unless otherwise specified.


XXX.13 CLUSTER
SPECIFICATION

Pendants	Thirteen
Material	White powder coated stainless steel cover
Cable	Coaxial cable Non-adjustable. 3000 standard / up to 30500 maximum
Power Supply	Integral
Wood Backing	Ø250 x 16




XXX.19 CLUSTER
SPECIFICATION

Pendants	Nineteen
Material	White powder coated stainless steel cover
Cable	Coaxial cable Non-adjustable. 3000 standard / up to 30500 maximum
Power Supply	Integral
Wood Backing	Ø355 x 16




XXX.37 CLUSTER
SPECIFICATION

Pendants	Thirty-seven
Material	White powder coated stainless steel cover
Cable	Coaxial cable Non-adjustable. 3000 standard / up to 30500 maximum
Power Supply	Integral
Wood Backing	Ø454 x 16



XXX.61 CLUSTER
SPECIFICATION

Pendants	Sixty-one
Material	White powder coated stainless steel cover
Cable	Coaxial cable Non-adjustable. 3000 standard / up to 30500 maximum
Power Supply	Integral
Wood Backing	Ø561 x 16



All dimensions are in millimeters (mm) unless otherwise specified.