


# METEOR 900




Meteors slash through the sky, dazzling all who witness their strangeness. The ancients revered the sky-fallen as messengers, their sudden appearance heralding momentous times.

METEOR conveys the dynamism and ethereal fire of cosmic matter speeding towards Earth through carefully selected gradations of natural smoky and clear quartz. Warm, dimmable light emanates through the natural crystal, the dramatic glow drawing a fiery streak from shadow.

# METEOR 900



FRONT VIEW



SIDE VIEW

## SPECIFICATIONS

Ordering Code:  
MET.900

Lamp:  
24V LED WW 2700K

Lumens:  
4196 LM

Voltage:  
24V DC

Watts:  
35W

Weight:  
Approx. 15kg\*  
\*Exclusive of canopy

Inclusions:  
Brass Chain  
Power Supply Unit x 60W

Exclusions:  
User Interface, Dimmer Unit

## PRODUCT OPTIONS

Finishes:  
GQ Smoky and Clear  
Gradient Quartz Crystal  
AB Aged Brass

Suspension:  
Chain Suspension

Canopy:\*  
2 x RFM Round Flush Medium  
2 x RFL Round Flush Large  
2 x RSM Round Surface Medium  
2 x RSL Round Surface Large  
\*Refer to Canopy Specification Guide

## WARRANTY


3 Years Fixture  
3 Years Power Supply Unit  
3 Years LED

Meteor is a solid fixture that will require very little maintenance over the years.

If your Meteor is treated with care, it will shine brightly for many years to come.

Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional


# METEOR 1200



Meteors slash through the sky, dazzling all who witness their strangeness. The ancients revered the sky-fallen as messengers, their sudden appearance heralding momentous times.

METEOR conveys the dynamism and ethereal fire of cosmic matter speeding towards Earth through carefully selected gradations of natural smoky and clear quartz. Warm, dimmable light emanates through the natural crystal, the dramatic glow drawing a fiery streak from shadow.

# METEOR 1200



FRONT VIEW

SIDE VIEW

## SPECIFICATIONS

Ordering Code:  
MET.1200

Lamp:  
24V LED WW 2700K

Lumens:  
5568 LM

Voltage:  
24V DC

Watts:  
46W

Weight:  
Approx. 20kg\*  
\*Exclusive of canopy

Inclusions:  
Brass Chain  
Power Supply Unit x 60W

Exclusions:  
User Interface, Dimmer Unit

## PRODUCT OPTIONS

Finishes:  
GQ Smoky and Clear  
Gradient Quartz Crystal  
AB Aged Brass

Suspension:  
Chain suspension

Canopy:\*

- 2 x RFM Round Flush Medium
- 2 x RFL Round Flush Large
- 2 x RSM Round Surface Medium
- 2 x RSL Round Surface Large

\*Refer to Canopy Specification Guide

## WARRANTY


3 Years Fixture  
3 Years Power Supply Unit  
3 Years LED

Meteor is a solid fixture that will require very little maintenance over the years.

If your Meteor is treated with care, it will shine brightly for many years to come.

Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional




# METEOR 1500




Meteors slash through the sky, dazzling all who witness their strangeness. The ancients revered the sky-fallen as messengers, their sudden appearance heralding momentous times.

METEOR conveys the dynamism and ethereal fire of cosmic matter speeding towards Earth through carefully selected gradations of natural smoky and clear quartz. Warm, dimmable light emanates through the natural crystal, the dramatic glow drawing a fiery streak from shadow.

# METEOR 1500



FRONT VIEW



SIDE VIEW

## SPECIFICATIONS

Ordering Code:  
MET.1500

Lamp:  
24V LED WW 2700K

Lumens:  
6960 LM

Voltage:  
24V DC

Watts:  
58W

Weight:  
Approx. 24kg\*  
\*Exclusive of canopy

Inclusions:  
Brass Chain  
Power Supply Unit x 100W

Exclusions:  
User Interface, Dimmer Unit

## PRODUCT OPTIONS

Finishes:  
GQ Smoky and Clear  
Gradient Quartz Crystal  
AB Aged Brass

Suspension:  
Chain suspension

Canopy:\*

- 2 x RFM Round Flush Medium
- 2 x RFL Round Flush Large
- 2 x RSM Round Surface Medium
- 2 x RSL Round Surface Large

\*Refer to Canopy Specification Guide

## WARRANTY

3 Years Fixture  
3 Years Power Supply Unit  
3 Years LED

Meteor is a solid fixture that will require very little maintenance over the years.

If your Meteor is treated with care, it will shine brightly for many years to come.

Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional


# METEOR 1800




Meteors slash through the sky, dazzling all who witness their strangeness. The ancients revered the sky-fallen as messengers, their sudden appearance heralding momentous times.

METEOR conveys the dynamism and ethereal fire of cosmic matter speeding towards Earth through carefully selected gradations of natural smoky and clear quartz. Warm, dimmable light emanates through the natural crystal, the dramatic glow drawing a fiery streak from shadow.

# METEOR 1800



FRONT VIEW



SIDE VIEW

## SPECIFICATIONS

Ordering Code:  
MET.1800

Lamp:  
24V LED WW 2700K

Lumens:  
8352 LM

Voltage:  
24V DC

Watts:  
69W

Weight:  
Approx. 30kg\*  
\*Exclusive of canopy

Inclusions:  
Brass Chain  
Power Supply Unit x 100W

Exclusions:  
User Interface, Dimmer Unit

## PRODUCT OPTIONS

Finishes:  
GQ Smoky and Clear  
Gradient Quartz Crystal  
AB Aged Brass

Suspension:  
Chain Suspension

Canopy:\*

- 2 x RFM Round Flush Medium
- 2 x RFL Round Flush Large
- 2 x RSM Round Surface Medium
- 2 x RSL Round Surface Large

\*Refer to Canopy Specification Guide

## WARRANTY


3 Years Fixture  
3 Years Power Supply Unit  
3 Years LED

Meteor is a solid fixture that will require very little maintenance over the years.

If your Meteor is treated with care, it will shine brightly for many years to come.

Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional


# METEOR 2100




Meteors slash through the sky, dazzling all who witness their strangeness. The ancients revered the sky-fallen as messengers, their sudden appearance heralding momentous times.

METEOR conveys the dynamism and ethereal fire of cosmic matter speeding towards Earth through carefully selected gradations of natural smoky and clear quartz. Warm, dimmable light emanates through the natural crystal, the dramatic glow drawing a fiery streak from shadow.

# METEOR 2100



FRONT VIEW



SIDE VIEW

**SPECIFICATIONS**

Ordering Code:  
MET.2100

Lamp:  
24V LED WW 2700K

Lumens:  
9744 LM

Voltage:  
24V DC

Watts:  
81W

Weight:  
Approx. 35kg\*  
\*Exclusive of canopy

Inclusions:  
Brass Chain  
Power Supply Unit x 100W

Exclusions:  
User Interface, Dimmer Unit

**PRODUCT OPTIONS**

Finishes:  
GQ Smoky and Clear  
Gradient Quartz Crystal  
AB Aged Brass

Suspension:  
Chain Suspension

Canopy:\*

- 2 x RFM Round Flush Medium
- 2 x RFL Round Flush Large
- 2 x RSM Round Surface Medium
- 2 x RSL Round Surface Large

\*Refer to Canopy Specification Guide

**WARRANTY**


3 Years Fixture  
3 Years Power Supply Unit  
3 Years LED

Meteor is a solid fixture that will require very little maintenance over the years.

If your Meteor is treated with care, it will shine brightly for many years to come.


Quartz is a mineral formed by the Earth. Each crystal piece will be unique due to natural variation of size, shape, colour and clarity.

Contact us for custom variations.



Installation should only be undertaken by a qualified professional

# METEOR



FRONT ELEVATION


DIMENSIONS SPECIFY DISTANCE BETWEEN CENTRE POINTS OF CANOPIES.

	HORZINTONAL ORIENTATION	ANGLED ORIENTATION
	A	B
MET.900	397mm/15.6"	391mm/15.4"
MET.1200	547mm/21.5"	539mm/21.2"
MET.1500	697mm/27.4"	686mm/27"
MET.1800	847mm/33.3"	834mm/32.8"
MET.2100	997mm/39.3"	982mm/38.7"

CANOPY	FOOTPRINT
RFS.1	80mm/3.1" $\phi$
RFM.1/RSM.1	125mm/4.9" $\phi$
RSL.1/RSM=L.1	300mm/11.8" $\phi$

SCALE	PAGE SIZE	REVISION	
1:20	A4	01	
DIMENSIONS IN MM UNLESS OTHERWISE SPECIFIED			
	THIS DRAWING DOCUMENT IS THE PROPERTY OF CHRISTOPHER BOOTS. IT MUST NOT BE COPIED, LOANED OR REPRODUCED IN ANY WAY, IN PART OR WHOLE WITHOUT PRIOR WRITTEN CONSENT. 2019 ALL RIGHTS RESERVED.		

# METEOR



FIXTURE	CODE	METRIC *	IMPERIAL *	WATTS	LIST
Meteor 900	MET.900	900 x 250 x 250 mm	35.4 x 9.8 x 9.8 "	18W	\$19,299
Meteor 1200	MET.1200	1200 x 250 x 250 mm	47.2 x 9.8 x 9.8 "	23W	\$22,686
Meteor 1500	MET.1500	1500 x 250 x 250 mm	59.0 x 9.8 x 9.8 "	29W	\$26,217
Meteor 1800	MET.1800	1800 x 250 x 250 mm	70.9 x 9.8 x 9.8 "	35W	\$30,054
Meteor 2100	MET.2100	2100 x 250 x 250 mm	82.7 x 9.8 x 9.8 "	41W	\$33,925

\* Dimensions are approximate

FINISHES	CODE	LIST	LAMP	CODE	LIST
Aged Brass	AB	Inc.	24V LED WW 2700K*	WW	Inc.

\* Dimmable

QUARTZ	CODE	LIST	SUSPENSION	CODE	LIST
Gradient Quartz	GQ	Inc.	Vertical Chain	CHAIN	Inc.



# METEOR

Please fill out this form for each fixture on order

Project Name / Side Mark: \_\_\_\_\_ PO # \_\_\_\_\_ Invoice # \_\_\_\_\_

FIXTURE	SIZE		TOTAL DROP
	IMPERIAL	METRIC	
<input checked="" type="checkbox"/> Meteor	<input type="checkbox"/> 35.4"	900mm	Please provide total height, from ceiling to base of fixture*  _____ MM
	<input type="checkbox"/> 47.2"	1200mm	
	<input type="checkbox"/> 59.0"	1500mm	
	<input type="checkbox"/> 70.9"	1800mm	
	<input type="checkbox"/> 82.7"	2100mm	

### SURFACE FINISH - CANOPY & CHAIN

- Aged Brass AB
- Custom \_\_\_\_\_

### LED COLOUR TEMPERATURE

- WARM WHITE 2500 - 2700K
- NEUTRAL WHITE 3000 - 3300K

### CEILING CANOPY (Please refer to Canopy Specification Guide provided)

- ROUND FLUSH - SMALL RFS
- ROUND FLUSH - MEDIUM RFM  ROUND SURFACE - MEDIUM RSM
- ROUND FLUSH - LARGE RFL  ROUND SURFACE - LARGE RSL

### DIMMING (Please refer to Dimming Fact Sheet and Wiring Diagrams provided)

- 0-10V 4 wire dimming (additional control cables from dimming module to control required)
- DALI/DSI 4 wire dimming (additional control cables from dimming module to control required)
- REMOTE Lutron Powpak + Pico RF Remote Dimming Module (Stand Alone)
- N/A Dimming Modules not required

### SPECIFIC CERTIFICATION REQUIREMENTS (All certification requests subject to Production Approval)

- Y Please specify \_\_\_\_\_
- N