

Del Playa

Chandelier - Four Arm Pendant

Series
 Del Playa

Finishes
 Oil rubbed

120V Illumination
 Integrated LED
 Wattage: 48W
 Lumens: 3,000 Lumens est.
 Color Temperature: 2700 K, 90+ CRI
 LED Lifetime: 50,000 Hours est.
 Dimming: Triac and ELV

Product
 Chandelier - Four Arm Pendant

Suspension
 1-1/2-inch wood stem in matching wood finish. 35-inch length included with lamp. 72-inch length available for additional cost. Stem length can be adjusted on site.

240V Illumination
 Integrated LED
 Wattage: 48W
 Lumens: 3,000 Lumens est.
 Color Temperature: 2700 K, 90+ CRI
 LED Lifetime: 50,000 Hours est.
 Dimming: ELV or 0-10V

Dimensions
 L 42in/106.7cm x W 33in/83.8cm x H 45in/114.3cm

Weight
 14.7lb/6.6kg

Canopy
 12-inch round in matching wood finish


Materials
 White Oak, Bone China, Brass, Opal Glass

Ceiling Slope
 0° mounting slope.
 Up to 90° variable hang-straight available upon request.

Driver location
 Driver located in the canopy

Certifications
 UL, cUL (120V)
 CE, (240V)

Fixture Mounting
 Designed to be mounted on standard 4in. Electrical Box.
 Two #8-32 screws included.
 Additional mounting hardware provided for 240V versions.



Del Playa

Chandelier - Two Arm Pendant

Series
 Del Playa

Finishes
 Oil rubbed

120V Illumination
 Integrated LED
 Wattage: 48W
 Lumens: 3,000 Lumens est.
 Color Temperature: 2700 K, 90+ CRI
 LED Lifetime: 50,000 Hours est.
 Dimming: Triac and ELV

Product
 Chandelier - Two Arm Pendant

Suspension
 1-1/2-inch wood stem in matching wood finish. 35-inch length included with lamp. 72-inch length available for additional cost. Stem length can be adjusted on site.

240V Illumination
 Integrated LED
 Wattage: 40W
 Lumens: 3,000 Lumens est.
 Color Temperature: 2700 K, 90+ CRI
 LED Lifetime: 50,000 Hours est.
 Dimming: ELV or 0-10V

Dimensions
 L 42in/106.7cm x W 5.5in/14cm x
 H 43in/109.2cm

Canopy
 12-inch round in matching wood finish

Weight
 12.2lb/5.5kg



Ceiling Slope
 0° mounting slope.
 Up to 90° variable hang-straight
 available upon request.

Materials
 White Oak, Bone China, Brass,
 Opal Glass

Certifications
 UL, cUL (120V)
 CE, (240V)

Driver location
 Driver located in the canopy

Fixture Mounting
 Designed to be mounted on standard
 4in. Electrical Box.
 Two #8-32 screws included.
 Additional mounting hardware provided
 for 240V versions.



Del Playa

Series
 Del Playa

Product
 Sconce - Double Arm

Dimensions
 H 23.2in/58.8cm x W 5.5in/14cm x
 D 7.4in/18.9cm

Weight
 2.6lb/1.2kg

Materials
 White Oak, Bone China, Brass,
 Opal Glass

Sconce - Double Arm

Finishes
 Oil rubbed

Back Plate
 5-3/4-inch round in matching
 wood finish

Driver location
 120V: Driver to be installed in the wall
 Electrical Box. Driver dimension are
 L 3.30in / 8.4cm x W 1.57in / 4.0cm x
 H 0.99in / 2.5cm
 240V: Driver in the 240V Driver Hous-
 ing. Housing to be installed in the wall.

Certifications
 UL, cUL (120V)
 CE, (240V)


120V Illumination
 Integrated LED
 Wattage: 16W
 Lumens: 1,000 Lumens est.
 Color Temperature: 2700 K, 90+ CRI
 LED Lifetime: 50,000 Hours est.
 Dimming: Triac and ELV

240V Illumination
 Integrated LED
 Wattage: 16W
 Lumens: 1,000 Lumens est.
 Color Temperature: 2700 K, 90+ CRI
 LED Lifetime: 50,000 Hours est.
 Dimming: ELV or 0-10V

Fixture Mounting
 Designed to be mounted on standard
 4in. Electrical Box.
 Two #8-32 screws included.
 Additional mounting hardware provided
 for 240V versions.

Roll & Hill

twentieth
 sales@twentieth.net
 323.904.1200
 www.twentieth.net



Del Playa

Series
 Del Playa

Product
 Sconce - Single Arm

Dimensions
 H 15.5in/39.5cm x W 5.5in/14cm x
 D 7.5in/19cm

Weight
 1.8lb/.8kg

Materials
 White Oak, Bone China, Brass,
 Opal Glass

Sconce - Single Arm

Finishes
 Oil rubbed

Back Plate
 5-3/4-inch round in matching
 wood finish

Driver location
 120V: Driver to be installed in the wall
 Electrical Box. Driver dimension are
 L 3.30in / 8.4cm x W 1.57in / 4.0cm x
 H 0.99in / 2.5cm
 240V: Driver in the 240V Driver Hous-
 ing. Housing to be installed in the wall.

Certifications
 UL, cUL (120V)
 CE, (240V)

120V Illumination
 Integrated LED
 Wattage: 8W
 Lumens: 500 Lumens est.
 Color Temperature: 2700 K, 90+ CRI
 LED Lifetime: 50,000 Hours est.
 Dimming: Triac and ELV

240V Illumination
 Integrated LED
 Wattage: 8W
 Lumens: 500 Lumens est.
 Color Temperature: 2700 K, 90+ CRI
 LED Lifetime: 50,000 Hours est.
 Dimming: ELV or 0-10V

Fixture Mounting
 Designed to be mounted on standard
 4in. Electrical Box.
 Two #8-32 screws included.
 Additional mounting hardware provided
 for 240V versions.