



## FRONT



## SIDE

□ Bulb Profile  
 0.81in x 1.3in  
 2.1cm x 3.3cm



### DESIGN

© 2013

### MATERIALS

LED, Sustainably Sourced  
 or Reclaimed Wood, Steel

### FEATURES

Bulb direction reversible  
 Fully dimmable

### CERTIFICATIONS



### ORIGIN OF MANUFACTURE

New York City, USA

### FIXTURE WEIGHT

5 lbs / 2.26 kg

### DRIVER

Lutron 100%-1% driver included  
 0-10V driver upon request

### LIGHT SPECIFICATION

Standard Brightness LEDs :  
 104 Lumens / 94 CRI (3000K) / 5W Power draw

High Brightness LEDs :  
 198 Lumens / 90 CRI (3000K) / 8W Power draw

### WOOD

- Maple  M A
- American Walnut  W A
- Ebonized Oak  E O
- Heart Pine (Reclaimed)  H P
- Water Tower Redwood (Reclaimed)  W T
- Custom  C U

### METAL

#### POWDER COAT FINISH

- White  W H
- Slate Grey  S G
- Matte Black  M B

#### PREMIUM FINISH

- Hand Blackened Steel  B L
- Brushed Nickel  B N
- Polished Nickel  P N
- Brushed Brass  B B
- Polished Brass  P B
- Custom  C U

### COLOR TEMP

- 2400k  2 4 0 0
- 2700k  2 7 0 0
- 3000k (Standard)  3 0 0 0
- 4000k  4 0 0 0

### INPUT VOLTAGE

- 120V 50-60hz (Forward phase dimming)  1 2 0
- 120V-277V 50-60hz (3-wire dimming)  2 7 7

### LIGHT OUTPUT

- Standard Brightness - 12V (Dimmable)  S B
- High Brightness - 24V (Dimmable)  H B


### ORDER SPECIFICATIONS

MODEL	WOOD	METAL	COLOR TEMP	INPUT	OUTPUT
H-SCNC-2FT					


STICKBULB

HORIZONTAL SCNCE  
 (2ft)

FRONT



SIDE



DESIGN

© 2013

MATERIALS

LED, Sustainably Sourced or Reclaimed Wood, Steel

FEATURES

Bulb direction reversible  
 Fully dimmable

CERTIFICATIONS



ORIGIN OF MANUFACTURE

New York City, USA

FIXTURE WEIGHT

6 lbs / 2.7 kg

DRIVER

Lutron 100%-1% driver included  
 0-10V driver upon request

LIGHT SPECIFICATION

Standard Brightness LEDs :  
 173 Lumens / 94 CRI (3000K) / 9W Power draw

High Brightness LEDs :  
 330 Lumens / 90 CRI (3000K) / 13W Power draw

WOOD

- Maple **MA**
- American Walnut **WA**
- Ebonized Oak **EO**
- Heart Pine (Reclaimed) **HP**
- Water Tower Redwood (Reclaimed) **WT**
- Custom **CU**

METAL

POWDER COAT FINISH

- White **WH**
- Slate Grey **SG**
- Matte Black **MB**

PREMIUM FINISH

- Hand Blackened Steel **BL**
- Brushed Nickel **BN**
- Polished Nickel **PN**
- Brushed Brass **BB**
- Polished Brass **PB**
- Custom **CU**

COLOR TEMP

- 2400k **2400**
- 2700k **2700**
- 3000k (Standard) **3000**
- 4000k **4000**

INPUT VOLTAGE

- 120V 50-60hz (Forward phase dimming) **120**
- 120V-277V 50-60hz (3-wire dimming) **277**

LIGHT OUTPUT

- Standard Brightness - 12V (Dimmable) **SB**
- High Brightness - 24V (Dimmable) **HB**

ORDER SPECIFICATIONS

MODEL

H-SCNC-3FT-ASYM

WOOD


METAL

COLOR TEMP


INPUT

OUTPUT

FRONT



SIDE



DESIGN

2013

MATERIALS

LED, Sustainably Sourced or Reclaimed Wood, Steel

FEATURES

Bulb direction reversible  
 Fully dimmable

CERTIFICATIONS



ORIGIN OF MANUFACTURE

New York City, USA

FIXTURE WEIGHT

6 lbs / 2.7 kg

DRIVER

Lutron 100%-1% driver included  
 0-10V driver upon request

LIGHT SPECIFICATION

Standard Brightness LEDs :  
 173 Lumens / 94 CRI (3000K) / 9W Power draw

High Brightness LEDs :  
 330 Lumens / 90 CRI (3000K) / 13W Power draw

WOOD

- Maple  M A
- American Walnut  W A
- Ebonized Oak  E O
- Heart Pine (Reclaimed)  H P
- Water Tower Redwood (Reclaimed)  W T
- Custom  C U

METAL

POWDER COAT FINISH

- White  W H
- Slate Grey  S G
- Matte Black  M B

PREMIUM FINISH

- Hand Blackened Steel  B L
- Brushed Nickel  B N
- Polished Nickel  P N
- Brushed Brass  B B
- Polished Brass  P B
- Custom  C U

COLOR TEMP

- 2400k  2 4 0 0
- 2700k  2 7 0 0
- 3000k (Standard)  3 0 0 0
- 4000k  4 0 0 0

INPUT VOLTAGE

- 120V 50-60hz (Forward phase dimming)  1 2 0
- 120V-277V 50-60hz (3-wire dimming)  2 7 7

LIGHT OUTPUT

- Standard Brightness - 12V (Dimmable)  S B
- High Brightness - 24V (Dimmable)  H B


ORDER SPECIFICATIONS

MODEL	WOOD	METAL	COLOR TEMP	INPUT	OUTPUT
H-SCNC-3FT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


STICKBULB

HORIZONTAL SCENCE  
 (3ft)

FRONT



SIDE



DESIGN

© 2013

MATERIALS

LED, Sustainably Sourced or Reclaimed Wood, Steel

FEATURES

Bulb direction reversible  
 Fully dimmable

CERTIFICATIONS



ORIGIN OF MANUFACTURE

New York City, USA

FIXTURE WEIGHT

7 lbs / 3.2 kg

DRIVER

Lutron 100%-1% driver included  
 0-10V driver upon request

LIGHT SPECIFICATION

Standard Brightness LEDs :  
 242 Lumens / 94 CRI (3000K) / 12W Power draw

High Brightness LEDs :  
 462 Lumens / 90 CRI (3000K) / 18W Power draw

WOOD

- Maple  M A
- American Walnut  W A
- Ebonized Oak  E O
- Heart Pine (Reclaimed)  H P
- Water Tower Redwood (Reclaimed)  W T
- Custom  C U

METAL

POWDER COAT FINISH

- White  W H
- Slate Grey  S G
- Matte Black  M B

PREMIUM FINISH

- Hand Blackened Steel  B L
- Brushed Nickel  B N
- Polished Nickel  P N
- Brushed Brass  B B
- Polished Brass  P B
- Custom  C U

COLOR TEMP

- 2400k  2 4 0 0
- 2700k  2 7 0 0
- 3000k (Standard)  3 0 0 0
- 4000k  4 0 0 0

INPUT VOLTAGE

- 120V 50-60hz (Forward phase dimming)  1 2 0
- 120V-277V 50-60hz (3-wire dimming)  2 7 7

LIGHT OUTPUT

- Standard Brightness - 12V (Dimmable)  S B
- High Brightness - 24V (Dimmable)  H B

ORDER SPECIFICATIONS

MODEL	WOOD	METAL	COLOR TEMP	INPUT	OUTPUT
H-SCNC-4FT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>